



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

Germany almost two-thirds showed less favorable health conditions than Berlin. The following places had a considerably higher rate of mortality than this city, namely: Dresden, Leipzig, Hanover, Brunswick, Bremen, Nuremberg, Rixdorf (with 18.1), Munich, Stuttgart, Strasburg, Magdeburg, Breslau, as well as Paris and Vienna. On the other hand, the following cities had a lower death rate than Berlin, viz: Carlsruhe, Frankfort, Düsseldorf, Altona, Kiel, Charlottenburg (with 12.3), Schöneberg (with 8.6), and also London. The infant death rate rose to 3.8 per year and thousand, this being somewhat higher than the Hamburg figure, but considerably lower than the Munich and Leipzig rate.

There were registered 115 deaths from phthisis pulmonalis, 88 from acute diseases of the respiratory organs, 29 from cancer, 16 from scarlet fever, 3 from diphtheria, 8 from measles, 6 from influenza; finally, 4 persons died by violence.

GUATEMALA.

Report from Livingston, fruit port.

Acting Assistant Surgeon Peters reports as follows: Week ended April 15, 1905. Present officially estimated population, 3,500; 2 deaths; prevailing diseases, malarial; general sanitary condition of this port and the surrounding country during the week, good.

Bills of health were issued to the following-named vessels:

Date.	Vessel.	Number of crew.	Number of passengers from this port.	Number of passengers in transit.	Pieces of baggage disinfected.
Apr. 9	Nicaragua.....	17	0	0	0
11	Anselm.....	40	4	0	0
14	Spero.....	16	0	0	0

The *Nicaragua* and *Anselm* cleared from Puerto Barrios.

HONDURAS.

Report from Puerto Cortez, fruit port.

Acting Assistant Surgeon Carter reports as follows: Week ended April 14, 1905. Present officially estimated population, 4,000; no deaths. Prevailing diseases, malarial fever of mild type; general sanitary condition of this port and the surrounding country during the week, good.

The cases of grippe reported have all recovered.

Bills of health were issued to the following-named vessels:

Date.	Vessel.	Number of crew.	Number of passengers from this port.	Number of passengers in transit.	Pieces of baggage disinfected.
Apr. 10	Habil.....	15	0	0	0
13	Anselm.....	40	4	10	0
13	Nicaragua.....	18	0	0	0

Number of aliens sailing from this port during week 2.